ELITE HD

The Jazzy® Elite HD features two-motor, front-wheel drive technology and heavy-duty construction. The Jazzy Elite HD features 35.6 cm (14") drive wheels for enhanced outdoor performance combined with a frontwheel drive design to provide tight turns for optimal indoor maneuverability in small spaces. Large front wheels add extra absorption for superb climbing capabilities and combine with front anti-tip wheels for handling various terrains with ease. Jazzy® Elite HD shown in Jazzy Red with high-back seat









SPECIFICATIONS		FEATURES
Weight Capacity	204 kg (450 lbs.)*	 Depth adjustable, black high-back seat Universal, fixed, in-line joystick mount Flip-up height adjustable foot platform Black, flat-free, non-marking tires 178 cm (70") lap belt
Maximum Speed	Up to 6.4 km/h (4 mph)	
Ground Clearance	7.6 cm (3")	
Turning Radius	61 cm (24")	
Overall Length	90.2 cm (35.5")	
Overall Width	61.6 cm (24.25")	
Drive Wheels	35.6 cm (14") solid	
Front Wheels	7.6 cm (3") solid anti-tips	
Rear Wheels	15.2 cm (6") solid casters	OPTIONS & ACCESSORIES*
Suspension	Limited	 Pride® rear bag (includes crutch/ walking stick holder) Walker holder (must have Pride® rear bag to attach) Oxygen tank holder (must have Pride® rear bag to attach) Saddlebag Cup holder Mobile phone holder
Drivetrain	Two-motor, front-wheel drive	
Braking System	Intelligent braking (electronic, regenerative disc brakes)	
Standard Electronics	60 amp, Dynamic Shark controller	
Battery Charger	Off-board, 5 amp	
Per-Charge Range	Up to 15.77 km (9.8 miles)	
Battery Requirements	(2) 12 volt, deep cycle, NF-22	* Please note, accessory bracket may be needed for attaching rear bag.
Battery Weight	17 kg (37 lbs.) each	
Base Weight	44 kg (98.5 lbs.)	
Standard Seat Weight	23 kg (51.5 lbs.) (high-back)	
Standard Seat	51 x 46-51 cm (20" x 18-20")	
Max. Seat Dimensions	61 x 61 cm (24" x 24")	

COLOUR CHOICES





Jazzy Red

Jazzy Blue



20-24 Apollo Drive Hallam, Victoria 3803 ACN 088 609 661 ABN 66 088 609 661

(Tel) 03 8770 9600 • (Fax) 03 9703 2720 • www.pridemobility.com.au











The information contained herein is correct at the time of publication; due to the manufacturer's commitment to constant improvement and development, they reserve the right to alter specifications without prior notice. Theoretical range is calculated under test conditions in accordance with European standards. Actual range in normal use will depend on many factors, including the condition of the vehicle and its batteries, the weight of the driver, correct tyre pressure, ambient temperature, and the gradient and surface of the road or pavement.