Jazzy Select 6

rder Form / Price List Revised: June 2009 ODJSF USE ONLY



Pride Mobility Products Corporation®

182 Susquehanna Ave., Exeter, PA 18643 **Sales:** *Phone*: (800) 800-8586 • *Fax*: (800) 800-1636

Account #:	Date:	Order No.
Bill To:	Ship To:	P.O. #:
Address:	Address:	Discount:
Phone Conta	ct: Marked For:	Terms:
	This product is available for purchase online at w	ww.mypride.com All pricing is MSRP. Freight:
	DME providers are responsible for determining appropriate billing codes v HCPCS codes should not be considered as l	then submitting for insurance reimbursement. egal advice. Taken By:

JAZZY SELECT 6-C CONFIGURATION #1 □Jazzy Select 6 -C Red Group 2 / Standard K0823 / K0011 MFG. SUGGESTED \$5,725 -18" W x 18" D medium back -Full length armrests -40 amp PG GC 2 controller -10" Solid tires -3 amp off-board charger -60" lapbelt -Foot platform

JAZZY SELECT 6-C CONFIGURATION #2 □Jazzy Select 6-C Red Group 2 / Standard K0823 / K0011 MFG. SUGGESTED S6,000 -18" W x 18" D - 20" D Gray vinyl high-back -Full length armrests -40 amp PG GC 2 controller -10" Solid tires -3 amp off-board charger -60" lapbelt -Foot platform

JAZZY SELECT 6-SS CONFIGURATION #3 □Jazzy Select 6-SS Red \$6,000 -18" W x 18" D Gray vinyl high-back seat w/ solid seat pan Group 2 / Standard -Full length armrests K0822 w/ sling/solid seating -40 amp PG GC 2 controller / K0011 MFG. SUGGESTED -10" Solid tires *Select cushion for the solid seat -3 amp off-board charger pan in appropriate section or -60" lapbelt review specific cushion order form. -Foot platform □U-1(pair) Installed E2365 \$266pr

SPECIFIC CONFIGURATION □Jazzy Select 6 \$5,725 Comes standard with Solid Tires COLOR □Jazzy Red NC □Jazzy Blue NC **BATTERIES (2 required)** □U-1 Installed \$133ea E2365 □Fixed, In-Line Joystick Mount Std. □Left ■Right □Swing-away Joystick Mount E1028 \$210 **□**4" L □7" L □Right □Left **PROGRAMMER** □PG GC Programmer \$423 **FRONT RIGGINGS** ☐Foot Platform (Depth-Adj.) Std. Rigging Type (pair) Select footplate size for S/A & ELRs: □71/4 x 6 □81/2 x 6 □Swing-away footrests \$162 □11"-13" Ext. NC □13"-16.5" Ext Std. □15.5"-19.5" Ext. NC □Elevating Leg Rests **E0990** \$325 Adjustable Calf Pads w/ ELRS (1 hole std.) □1 hole □3 holes* □6 holes* *Potential for interference w/ shrouds Extensions²

Footnotes for page 1:

□11"-14" Ext.

□14"-17" Ext

Rigging Options

☐ Heel Loops (pair) E0951

1. Can only mount one armrest accessory in combination w/ S/A joystick.

NC.

Std

\$38

 Knee to heel length is measured from the top of the legrest to the footplate.lt will increase when contoured seating or rehab seating w/ cushions are selected. The overall length may vary approxi mately 3" depending on choice of seat and /or cushion.

Jazzy Select 6

Order Form / Price List Revised: June 2009

SEATING

□Med-Back Gray Vinyl	Std.
□Med-Back, Gray Vinyl	
& Solid Seat Pan ³	NC
□18" W x 18" D	

☐ Ltd. Recline, Gray Vinyl, High-Back w/ Headrest , Depth Adjustable \$275 □18" W x 18" - 20" D □20" W x 18" - 20" D

SOLID SEAT PAN SELECTION

☐ Ltd. Recline, Gray Vinyl, High-Back \$275 w/ Headrest & Solid Seat Pan3 □18" W x 18" D □18" W x 20" D □20" W x 18" D

□20" W x 20" D

Custom seat dimensions are available. Please contact the Custom Group for pricing and leadtime.

Special Order

W D

Seat sizes can not exceed 20 W x 20 D **\$450 MSRP**

ARMRESTS

For High-Back Seats □Flip-up, removable Std. □Flip-up, height-adjustable E0973 \$170 removable

CUS	HIONS⁴		
□Simplicity Cushi	ion		
16 x 16 - 20 x 20	E2601	\$98	
☐Solution 1 Cush	ion		
14 x 14 - 20 x 18	E2603	\$380	
20 x 20	E2603	\$430	
□Solution Cushion			
10 x 10 - 20 x 18	E2607	\$380	

☐Solution Cushic 10 x 10 - 20 x 18 20 x 20	E2607	\$380 \$430
□Spectrum Cush □Gel	ion	

10 x 10 - 20 x 18	E2605	\$480
20 x 20	E2605	\$530
□Visco		
10 x 10 - 20 x 18	E2607	\$480

\$530

□Structure 2 Cushion K0734

20 x 20 - 20 x 20 E2607

14 x 16 - 20 x 18		\$480
20 x 20	K0734	\$580

ACCESSORIES

□Rear Basket⁵		\$103
□Cane/Crutch Holder⁵	E2207	\$98
□Oxygen Holder⁵	E2208	\$103
■Walker Holder ⁵	K0108	\$92
□Weather Cover, Mediu	ım, Black	\$158
□Cup Holder		\$17
□2.5 Amp in car charge	er	\$125
	□Right	□l oft

⊿Right ■Lap Belt Std. **□38**" **□**50" **□**60" **□**70" **□**80"

SPECIALTY SEATING

□ Specialty Seat Kit (limited adjustability) \$275 SYSTEM SPECIFICATIONS

Specialty Seating Kit Width

1 16"	NC			
□ 18"	Std.	□20"	NC	
	Specialt	y Seating Kit [Depth	
□ 16"	Std.	□17"	NC	
□ 18"		NC		

Specialty Seating Kit Back Cane Height □18" Std. **2**0′ NC.

□22" NC

BACKS

□See Synergy Shape Back Order Form ⁶	
☐Solid Plate Back up to 20"W 27	\$275
□Omit Back	

□See Postioning Components Order Form for additional backs

Bac				
□ 18"	Std.	□ 19"	NC	
□20"	NC	□21"	NC	
□22"	NC	□23"	NC	
□ 24"	NC	□25"	NC	
□Sling Ba	ack			
□16" wide				
	\$98			
□ 20" wide			\$98	
Sling Back Height				
(Hgt must match cane hgt.)				
□18" height				
□20" height			NC	
	22" height		NC	

	PAGE	2
ARMRE	STS	
□2-Post, fixed flip-back ^{8,9}		Std.
□Flip-back, cane mounted	^{e,8} ¢	\$95ea
□Removable, adjustable,		
quick height ¹⁰	E0973	\$275ea
11"-17" of height adj 3" on to	p in 1/2"	
increments & 3" on bottom	in 1" increm	ents
□Removable, height adjus	stable ¹⁰ E0973	\$150ea
heavy duty armrests		
□ 8"H-12"H	□10"H-14	"H
Armrest Pads		
□Full Length, straight, 2"x	14"	NC
□Left	□Right	
□Desk Length, straight, 2'	'x10"	NC
□Left	□Right	
□Full Length, Waterfall, 2'	'x14" ¹¹	NC
□Left	□Right	
□DeskLength,Waterfall,2"	x10" ^{11,12}	NC
□Left	□Right	
HEAD RI	EST	
□Stealth E0955		
□Large (11"W x 6" H) □Sm	nall (9 3/4" W x 3	"H) \$205
☐Stealth Comfort Plus E	0955	
□Large (14"W) □Small (10" W)	\$205
☐Removable Head Rest E	Bracket E10	28 \$210
☐Stealth, swing-away (Flip	o-Down)	
Head Rest Bracket	E1028	\$210

down-tube. ■Medical Applications E0955 □Large (11"W x 6" H)

□Small (9 3/4" W x 3" H) \$210 □Removable Head Rest Bracket E1028 \$235

Interfaces w/ any headrest that uses 1/2" square

Footnotes for page 2:

- 1. Can only mount one armrest accessory in combination w/ S/A joystick.
- 2. Knee to heel length is measured from the top of the legrest to the footplate.It will increase when contoured seating or rehab seating w/ cushions are selected. The overall length may vary approxi mately 3" depending on choice of seat and /or cushion.
- 3. Includes black vinyl seat pan.
- See Synergy cushion order form for sizes and pricing.
- 5. Includes mounting bracket and hardware.
- 6. Shape Back and w/ flip-back arms may interfere in the same configuration, call for details.
- 7. 20" D is N/A.
- 8. Call for availability with Shape back.
- 9. S/A laterals interfere w/ flip-back arms.
- 10. Desk length armrests w/ an accessory limit the accessibility to the height adjustment lever.
- 11. N/A w/ flip back, cane mounted arms.
- 12. S/A joystick mount N/A.

Jazzy Select 6

Order Form / Price List Revised: June 2009

Synergy Seating Systems

☐Synergy Seating[™] System \$434

WIDTH			
	Se	t Seat Width	At:
□ 14"	NC	□ 15"	NC
□ 16"	NC	□ 17"	NC
□ 18"	Std.	□ 19"	NC
□ 20"	NC		

Seat	Width Package
□14"W-18"W	□16"W-20"W

DEPTH			
Set Seat Depth At:			
□ 14"	NC	□ 15"	NC
□ 16"	Std.	□ 17"	NC
□ 18"	NC	□ 19"	NC
□ 20"	NC		

Seat Depth Package

□14"D-18"D □16"D-20"D

Please consult your Quantum Specialist or contact the Custom Group before ordering

BACK CANES¹

` '	,	Dual Post, Flip-back
□2" (1" per si	ido)	□4" (2" per side)
□Offset(Meso)	\$195	□Inset (Endo) \$195
⊔ Straight		Sia.

N/A with TRU-Comfort, Dual Post, Flip-back armrests may interfere with offset armrests .

N/A w/ any reclining systems.

Actual Back Cane Height is reflected in measurement Back Cane Height

□ 14"	NC	□ 15"	NC	
□ 16"	Std.	□ 17"	NC	
□18"	NC	□ 19"	NC	
□ 20"	NC	□21"	NC	
□ 22"	NC	□23"	NC	
□ 24"	NC	□25"	NC	

BACK OPTIONS

	rgy Snape 🗅	ack Order F	Orin-,"
■Solid Plate	Back up to	20" W	\$275
□Omit Back			
Back Height:	4		
□18"H	□ 19"H	□ 20"H	□ 21"H
□ 22"H	□ 23"H	□ 24"H	□ 25"H
□Sling Back	5		\$98

Back height will be the same as back cane height. Includes gap for cushion.

Push Bar selection must match back width; center tube standard when selecting flip-up arms.

□TRU-Comfort Back 4,6

□Std.	■New Plus	
Back Height:	□ 22"	□ 25"
☐Back up to 20	" W E2620	\$595
□ 22" W	E2621	\$695
□TRU-Comfort C	Sushion	
16 x 16 - 20 x 18	E2601	\$380
20 x 20 - 20 x 22	E2601	\$380
22 x 16 - 22 x 24	E2602	\$480
□TRU-Comfort P	lus Cushion	
16 x 16 - 20 x 18	E2603	\$380
20 x 20 - 20 x 22	E2603	\$380
22 x 16 - 22 x 24	E2604	\$480
□Omit Back		-(\$100)
See TRU-	-Comfort Back & C	Sushion

order forms for specific sizes

□Flip-back, cane mounted 3,7

adjustable, removable armrests

TRU-Comfort Plus-utilizes a 4-way stretch material cover on cushions & backs

ARMRESTS

□2-Post, flip-back, height 3,7,8 **E0973** \$150ea

Std.

(9"-13" of height adjustme	ent in 1" incr	ements)
☐Single Post height adj. 9,10	E0973	\$75ea
quick height, removable		
11"-17" of height adj. 3" on t	op in 1/2" in	crements
& 3" on bottom in 1" increm	ents.	
■Quad Release Lever		NC
(11"-17" of height adj in 3/	8" incremen	ts)
□Removable, height adjust	able E0973	\$75ea
heavy duty armrests9		
□8"H-12"H	□10"H-14"	Н
□Pediatric removable ⁹	E0973	\$75ea
adjustable, quick height.		
■Match Shroud Color	□Black	
■Quad Release Lever		NC
(7 3/4" - 9 3/4" height adjustn	nent in 1/2"	

increments from seat pan to top of armrest)

ARMPADS	
□Full length, Straight, 2" X 14"	Std.
□Left □Right	
□Desk Length, Straight, 2" X 10"	Std.
□Left □Right	
□Full Length, Waterfall, 2" X 14"11	NC
□Left □Right	
□Desk Length, Waterfall, 2" X 10" 11,12	NC
□Left □Right	

		PAGE	3
HE	AD REST⁵		
□Stealth		E0955	
□Large (11"W x 6" H	l) Small (9 3/4	1"Wx3"H)	\$205
□Stealth Comfort F	Plus	E0955	
□Large (14"W) □	Small (10" W))	\$205
□Removable Head	Rest Bracke	E1028	\$210
☐Stealth, swing-av	vay (Flip-Dow	n)	
Head Rest Brack	cet	E1028	\$210
Interfaces w/ any h	eadrest that us	es 1/2" squ	are
down-tube.			
■Medical Application	ons E0	955	\$230
□Large (11"W x 6"	H) Small (9	3/4" W x 3	" H)
□Removable Head I	Rest Bracket	E1028	\$235
☐Fixed, Offset Mou	unting Bracket	t	NC
□TRU-Comfort	E0955		
□8" Wide	□ 10" Wide		\$205
□Cobra Removable I	Head Rest Brac	ket E1028	\$210
□Removable Brack	ket for E1	028	\$210

Footnotes for page 3:

after market headrest

- Height is measured from seat pan to top of cane.
- 2. 14" & 22" widths are N/A.
- Shape Back & w/ flip-back arms may interfere in the same configuration call for details.
- Measured from seat pan to top of back pan w/ 3" gap to accommodate the cushion.
- 5. Headrests are N/A w/ sling backs.
- 6. N/A w/ flip back, cane mounted arms.
- 7. S/A laterals interfere w/ flip-back
- 8. May cause interference wit certain dimension configurations. Call Customer Service.
- Desk length armrests w/ an accessory limit the accessibility to the height adjustment lever.
- Tools are required to obtain additional 4" of height adjustment at bottom of armrest. 3" of adjustment at top requires no tools. Available adj. range is 11" - 17".
- 11. Only avail. on removable, adjustable, quick-height arms & pediatric arms.
- 12. S/A joystick mount N/A.

The information contained herein is correct at the time of publication; we reserve the right to alter specifications and pricing without prior notice.