

# Quantum® 600 Series

Group 3 Single Power & Multiple Power Order Form/ODJFS Only 300 lbs. weight capacity



# NOTES:

# Quantum Rehab®

A Division of Pride Mobility Products Corporation® 182 Susquehanna Ave., Exeter, PA 18643 Phone: (866)800-2002 • Fax: (866) 707-3422 or e-mail <a href="mailto:quantumorders@pridemobility.com">quantumorders@pridemobility.com</a>

ACCOUNT INFO
Account Number:
Provider Name:
Contact Name:
Phone #:
Fax #:
E-mail Address:
Date:
PO#:
Marked For:
3 Column Pricing on Quote/Order: ☐ Yes ☐ No
Quote #:
Ship To:
Ship To:
Address:State:Zip:
Lift Gate Needed:  Yes  No
Lift Gate Needed. G 7es G No
Taken By:
idition by:
SET-TO-SPEC*
Please Supply Client Information:
Client Height:
Cheff neight.
Client Weight:
Client Weight:
Client Weight:  Mount Hip/Thigh Supports: ☐ Yes ☐ No
Client Weight:
Client Weight:  Mount Hip/Thigh Supports: ☐ Yes ☐ No
Client Weight:  Mount Hip/Thigh Supports: ☐ Yes ☐ No  Mount Lateral Thoracic Supports: ☐ Yes ☐ No
Client Weight:
Client Weight:

Seating System	Seat-To-Floor Heights			
TRU-Balance® Tilt or Tilt & Recline	18.125"	19.125"	20.125"	21.125"
TRU-Balance® Recline	17"	18"		19"
TRU-Balance® Lift	19.25"	20.125"	21"	21.875"

Seat to floor height are +/- 1/8" with 18"W x 18"D with Flat-Free tires (add 3/8" for pneumatic tires).
Increased widths may increase lowest seat to floor heights.

<sup>\*</sup> While every effort will be taken to ensure dimensions will be preset to your specifications prior to shipping variations in options may effect final settings.

DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. HCPCS codes should not be considered as legal advice. All prices are MSRP.

Options with a circular checkbox (O) NOT available through Quantum West.

HCPCS Code  HCPCS range.  K0108  Controls	Description  □ 75 Amp NE+ 6-Key For U  □ 75 Amp NE+ 8-Key For U  EXPANDABLE CON Description  Q-Logic EX Joysticks or Enhance □ 100 Amp Q-Logic EX Co □ Harness For Expandabl  □ Q-Logic EX Joystick	Standard  Standard  NTROLS  Por Expandable Controll  Controller	\$400  Price  With Q-Logic EX	kage HCPCS Cod
HCPCS Code  HCPCS range.  K0108  Controls	□ 75 Amp NE+ 6-Key For U □ 75 Amp NE+ 8-Key For U EXPANDABLE CON Description Q-Logic EX Joysticks or Enhance □ 100 Amp Q-Logic EX Co □ Harness For Expandable	Standard  Standard  NTROLS  Por Expandable Controll  Controller	\$400  Price  With Q-Logic EX 0 er \$695 \$350	HCPCS Cod Controller and Han
HCPCS Code  ease per-charge range. K0108	□ 75 Amp NE+ 6-Key For U □ 75 Amp NE+ 8-Key For U EXPANDABLE CON Description Q-Logic EX Joysticks or Enhance □ 100 Amp Q-Logic EX Co □ Harness For Expandable	Standard  Standard  NTROLS  Por Expandable Controll  Controller	\$400  Price  With Q-Logic EX (er \$695 \$350	HCPCS Cod Controller and Har E2377
HCPCS Code  ease per-charge range. K0108	□ 75 Amp NE+ 6-Key For U □ 75 Amp NE+ 8-Key For U EXPANDABLE CON Description Q-Logic EX Joysticks or Enhance □ 100 Amp Q-Logic EX Co □ Harness For Expandable	Standard  Standard  NTROLS  Por Expandable Controll  Controller	\$400  Price  With Q-Logic EX (er \$695 \$350	HCPCS Cod Controller and Har E2377
HCPCS Code  ease per-charge range. K0108	☐ 75 Amp NE+ 8-Key Fo  EXPANDABLE CON  Description  Q-Logic EX Joysticks or Enhance ☐ 100 Amp Q-Logic EX Co ☐ Harness For Expandable	Standard  Standard  NTROLS  Por Expandable Controll  Controller	\$400  Price  With Q-Logic EX (er \$695 \$350	HCPCS Cod Controller and Har E2377
HCPCS Code  ease per-charge range. K0108	☐ 75 Amp NE+ 8-Key Fo  EXPANDABLE CON  Description  Q-Logic EX Joysticks or Enhance ☐ 100 Amp Q-Logic EX Co ☐ Harness For Expandable	Standard  Standard  NTROLS  Por Expandable Controll  Controller	\$400  Price  With Q-Logic EX (er \$695 \$350	HCPCS Cod Controller and Har E2377
ease per-charge range. K0108 Controls	EXPANDABLE CON  Description  Q-Logic EX Joysticks or Enhance  100 Amp Q-Logic EX Co  Harness For Expandable	NTROLS  Por Expandable Controll  Controller	\$400  Price  With Q-Logic EX (er \$695) \$350	HCPCS Cod Controller and Har E2377
ease per-charge range. K0108 Controls	EXPANDABLE CON  Description  Q-Logic EX Joysticks or Enhance  100 Amp Q-Logic EX Co  Harness For Expandable	NTROLS  ed Display Must Be Ordered W For Expandable Controll controller	Price With Q-Logic EX 0 er \$695 \$350	Controller and Han
ease per-charge range. K0108 Controls	EXPANDABLE CON  Description  Q-Logic EX Joysticks or Enhance  100 Amp Q-Logic EX Co  Harness For Expandable	NTROLS  ed Display Must Be Ordered W For Expandable Controll controller	Price With Q-Logic EX 0 er \$695 \$350	Controller and Han
ease per-charge range. K0108 Controls	EXPANDABLE CON  Description  Q-Logic EX Joysticks or Enhance  100 Amp Q-Logic EX Co  Harness For Expandable	NTROLS  ed Display Must Be Ordered W For Expandable Controll controller	Price With Q-Logic EX 0 er \$695 \$350	Controller and Han
ease per-charge range. K0108 Controls	EXPANDABLE CON  Description  Q-Logic EX Joysticks or Enhance  100 Amp Q-Logic EX Co  Harness For Expandable	NTROLS  ed Display Must Be Ordered W For Expandable Controll controller	Price With Q-Logic EX 0 er \$695 \$350	Controller and Han
ease per-charge range. K0108 Controls	Description  Q-Logic EX Joysticks or Enhance  □ 100 Amp Q-Logic EX Co □ Harness For Expandable	ed Display Must Be Ordered V For Expandable Controll ontroller	With Q-Logic EX (left) \$695 \$350	Controller and Han
ease per-charge range. K0108 Controls	Q-Logic EX Joysticks or Enhance  □ 100 Amp Q-Logic EX Co □ Harness For Expandable	For Expandable Controll ontroller	With Q-Logic EX (left) \$695 \$350	Controller and Han
ease per-charge range. K0108 Controls	☐ 100 Amp Q-Logic EX Co☐ Harness For Expandabl	For Expandable Controll ontroller	\$695 \$350	E2377
ease per-charge range. K0108 Controls	☐ Harness For Expandabl		\$350	
ease per-charge range. K0108 Controls				
K0108	☐ Q-Logic EX Joystick		\$700	
K0108	☐ Q-Logic EX Joystick		\$700	
Controls	☐ Q-Logic EX Joystick		\$700	
			7	
I				
	Q-Logic EX Joystick For	Lights	\$700	
			•	
je				
	PROGRAMMING			
	Description		Price	
-	☐ Q-Logic Handheld Prog	rammer 🔊	\$545	
	Q-Logic Hallotteld Frog	ranninei (a)	φυτυ	
		7		
	☐ Q-Logic Programming C	Cable w/ Disk¹	\$750	
	Works with Q-Logic EX only			
	JOYSTICK HANDLI	ES		
	Description		Price	HCPCS Cod
	☐ Standard Carrot Handle	<b>!</b>	Standard	
	☐ Mushroom Handle		\$71	E2323
	☐ T-Bar ☐ Chin Cun		\$107 \$71	E2323 E2324 <sup>1</sup>
				E2324
			\$50	E2323
			\$50	E2323
	Medium Ball Handle	Handle		E2323 E2323
	<ul><li>☐ Medium Ball Handle</li><li>☐ Bodypoint 3" Goal Post</li></ul>			<b>EZ3Z3</b>
	<ul><li>☐ Medium Ball Handle</li><li>☐ Bodypoint 3" Goal Post</li></ul>	Handle		
		☐ Chin Cup☐ Extended I-Handle☐ Soft Ball Handle☐ Medium Ball Handle	□ Chin Cup □ Extended I-Handle □ Soft Ball Handle □ Medium Ball Handle □ Bodypoint 3" Goal Post Handle	Chin Cup \$71  Extended I-Handle \$71  Soft Ball Handle \$50  Medium Ball Handle \$50

**ODJFS Only** 

JOYSTICK MOUNTING BRACKET	S	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	BACK OPTIONS (CONT'D)		
Description	Price	HCPCS Code	Description	Price	HCPCS Code
Comes Standard with a Quick Release, Adju  Fixed Inline  Side: Left Right  Swing-away  Side: Left Right  Style: Inline Offset  Length: 4" Ext. 7" Ext.2  Multi-axis Fixed	stable-Height Joy Standard \$210 \$100		Tru Comfort Color Shroud Option:  ☐ Black (Standard color option)  Metallic Colors:\$100  ○ Candy Apple Red  ○ Viper Blue  ○ Sunburst Orange  ○ Pearl Pink		
1. Not available with Q-Logic EX Stand Alone Joystick 2. In iQuantum choose in addition to Swing-Away 4" mount.  TRU-BALANCE® POWER POSITION  Description  TRU-Balance® Power Tilt (55°)  55 degree center of gravity (CG) power  168 degrees of power recline vith full drive.  TRU-Balance® Power Tilt (55°) & Recline (16°)  55 degree center of gravity (CG) power tilt seating system full drive lock-out at 20 degrees.  TRU-Balance® Lift (10")1  Must be selected in conjunction with TB Power Maximum seat size of 20"V	Price \$4,995 r tilt seating system \$5,595 lock-out set at 20 88°) \$9,595 em with 168 degre legrees \$2,895 Tilt or TB Power T	E1004 degrees E1007 res of power recline	Tilt Back Options:  □ Standard Back Canes □ Omit Push Handles □ Flip Forward Back Canes □ Omit Push Handles □ Offset (Meso) <sup>5</sup> □ 2" (1" Per Side) □ Inset (Endo) <sup>5</sup> □ 2" (1" Per Side) □ Attendant Manual Recline <sup>6</sup> Power Recline Back: □ Synergy® Reclining Back with 1.5" Thick Back Cushion	<sup>*</sup> \$195	E1226
1. 10" of scissor Lift, must select TB Tilt or TB Tilt & Recline in lbs. max. wt., Allowable dimensions 16" x 16" - 20" x 20", Re Manual Recline or Power Recline Only.  SEATING SPECIFICATIONS  Seat Width:  14"  15"  16"  17"  18  Seat Width Packages:  14"W-18"W  15"W-20"W	conjuncton with lift equires Q-Logic EX	, 1/4 Speed Inhibit, 30 0000000000000000000000000000000000	☐ 19"W ☐ 20"W ☐ 22"W <sup>7</sup> Overall Back  Height <sup>8</sup> : ☐ 20" H ☐ 21" H ☐ 22"H ☐	\$595/\$795 \$695/\$795 1 23"H 1 28"H \$200	
Seat Depth:         □ 14"       □ 15"       □ 16"       □ 17"       □ 18         Seat Depth Package:       □ 14"D-18"D       □ 15"D-20"D         Back Cane Height:       □ 16"       □ 16"	." □ 19" □17" □22"	□ 20" □18" □23"	Recline Back Options:  Offset (Meso) <sup>10</sup> 2" (1" Per Side) 4" (2" Per Sid Inset (Endo) <sup>10</sup> 2" (1" Per Side) 4" (2" Per Sid Recline Color Shroud Option: Black (Standard color option) Metallic Colors:N/C	<sup>*</sup> \$195	
Description Description	Price	HCPCS Code	☐ Candy Apple Red ☐ Silver		
Tilt Back: Synergy® Shape Back Positioning Back See Synergy Shape Back Order Form For Det Omit Back Synergy® Back with 1.5" Thick Back Cushion Overall Back 18" H 19" H 20"H Height: 22"H 23"H 24"H Choose Lateral Extensions¹: 6" for 13"-16"H Back 10" for 17"-18"H Back 12" For 19"-22"H Back	Various  **ailed Pricing, Sizes** (-\$100) No Charg □ 21"H □ 25"H"  \$25 \$25 \$25 \$25 \$25	E2613/E2614 and Codes	Uper Blue ☐ Emerald ☐ Sunburst Orange ☐ Sapphire ☐ Sapphire ☐ Sapphire ☐ Pearl Pink ☐ Sapphire ☐ Pearl Pink ☐ Sapphire ☐ Sapphire ☐ Pearl Pink ☐ Sapphire	Blue 22 Holder. May into the available with M Back, Tru Comfort re seat pan. the pan to the top of time. the certain backs.	anual Recline. back, power elevating the back. All back Contact your Quantum
W□TRU-Comfort™ Back 4-way Stretch Material Cove esign Width: □ 16"W □ 18" W □ 20"W	*r \$595	E2620			
Overall Back         □ 20" H         □ 21" H         □ 22"H           Height²:         □ 24"H         □ 25"H         □ 27"H					
Width:       □ 17"W       □ 19"W         Overall Back Height²:       □ 22"H       □ 23"H       □ 24"H         □ 27"H       □ 28"H	\$595 <b>□</b> 25"H	E2620			
Width: □ 22"W³ □ 24"W³  Overall Back □ 24"H □ 25"H □ 27"H  Height²:  1. Lateral extensions are required to mount lateral thoracic s 2. Overall Back height measurement is measured from the s	upports	E2621			
<ol> <li>Overall Back height measurement is measured from the s</li> <li>Available with offset (meso) brackets.</li> </ol>	,	,			

Quantum® 600 **Group 3 Single Power & Multiple Power ODJFS Only ARMRESTS HEADRESTS** Description Price Description Price **HCPCS Code** Tilt Armrests: No Headrest Required ☐ Flip Back, Cane Mounted Armrests¹ No Charge TRU-Comfort™Headrest¹: ☐ 2-Post, Flip-back, Height Adjustable, Removable<sup>2</sup> No Charge \$205 8" W Leatherette E0955 ■ 8"W TRU-Comfort Plus \$205 E0955 ☐ Single Post Height Adjustable Removable<sup>3</sup> No Charge □ 10" W Leatherette \$205 E0955 Quad Release Lever ☐ 10"W TRU-Comfort Plus \$205 F0955 ☐ Removable, Single Post, Height Adjustable, No Charge □ Removable Headrest Bracket \$210 E1028 Heavy Duty Stealth: ■ 8"H - 12"H ■ 10"H - 14"H Height: ☐ Small (9.75"W x 3"H) (STL-OTSM250) \$205 F0955 No Charge ☐ Pediatric, Removable<sup>4</sup> \$205 E0955 ☐ Large (11"W x 6"H) (STL-OTLG150) Quad Release Lever ☐ Pediatric Comfort Plus (6"W) (CPN350) \$142 E0955 ☐ Height Adjustable Cantilever Armrests<sup>5</sup> \$195 Angle Adjustable: -30° through +30° ☐ Small Comfort Plus (10"W) (CP250) \$142 E0955 ☐ Large Comfort Plus (14"W) (CP150) \$142 E0955 Power Recline Armrests: ☐ Removable Headrest Bracket<sup>2</sup> (HMO475P) \$210 E1028 Reclining, Flip Back Standard ☐ Swing-away (Flip-down) Headrest \$210 □ 10"H - 11"H ■ 8"H - 9"H Height: Bracket<sup>2</sup> (FDM350) □ Height Adjustable Cantilever Armrests¹ \$195 Used in Addition to Removable Headrest Bracket Angle Adjustable: -30° through +30° **Medical Applications:** Interferes with Swing-Away laterals. Height adjustment from 9"-13" in 1" increments. Interferes with swing-away laterals. Not available with Removable Bracket For Reclining Headrest E1028 \$210 a depth less than 16".

Height adjustable from 11" - 17" in 1/2" increments. Height adjustable with full length armpads. Height adjustment form 7.75" - 9.75" in 1/2" increments. Not available with full length armpads. Height adjustment from 11"-17" depends on cane height. Not available with Manual Recline, Flip Forward Back Canes, Cane Clamp Pushbar, or Shape Back. Call for details when selecting after market **Aftermarket Bracket:** ☐ Stealth's World's Best Removable Headrest E1028 \$210 Hardware (TWB485) Measurement is taken from the inside of the headrest. Measurement is taken as:
 Not available with power recline. **ARMPADS NON-POWER LEGRESTS** Price Description Description Price **HCPCS** Code Standard □Straight, Full Length (2"x14") □Left □Right 60-90° Swing-away Legrests¹ Standard □Straight, Desk Length (2"x10") No Charge (Adjustable in 5° increments) □Left ■Right ☐ Standard Extruded Footplates No Charge ■Waterfall, Full Length (2"x14")¹ No Charge Standard Extruded Extensions: □Left □Right **1**3"-16.5" **1**5.5"-19.5" ■Waterfall, Desk Length (2"x10")¹ No Charge Standard Extruded Footplates: □Left □Right □ 7.25" x 6" □ 8 5" x 6" □Falcon Gel, Full Length, (3.5"x14")\* \$160 pr. ■ Angle-Adjustable Footplates² \$150 K0040 □Left ■Right Angle Adjustable Extensions: □Full Length Gel Armpad \$56.69 ea. **1**3"-16.5" **1**5.5"-19.5" Mounting Plate (Required)\* Angle-Adjustable Footplates: □ 4" x 6" □ 5" x 8" □Falcon Gel, Desk Length, (3.5"x10")\* \$125 pr. □ 5" x 6" □ 6" x 8"<sup>3</sup> □ 8" x 11"<sup>4</sup> □Left □Right ☐ 6" x 11"<sup>3</sup> □Desk Length Gel Armpad ■ Multi-Axis Footplates \$53.52 ea. K0040 \$495 Mounting Plate (Required)\* Multi-Axis Extensions: **1**1"-16.5" **1**5.5"-19.5 1. Not available w/ Cane Mounted, Flip Back Armrests combined with a Synergy Back. Multi-Axis Footplates: □ 4" x 6" □ 5" x 8" □ 5" x 6" □ 6" x 8"<sup>3</sup> ■ 8" x 11"<sup>4</sup> □ 6" x 11"<sup>3</sup> **POWER POSITIONING ELECTRONICS** Price **HCPCS Code** Description ☐ High Mount, Clamp-On Footrest\* Angle Adjustable K0040 Single Actuator Electronics: ■ Small, 4" x 7.75" \$356 ☐ Through Toggle Box (Tilt Only) No Charge ☐ Large, 4.25" x 9.25" \$356 □Left Mount □Right Mount K0040 Multi-Axis ☐ Through NE+ 6-Key \$1175 F2310 \$456 ☐ Small, 4" x 7.75" ☐ Through Single Switch¹ (Tilt Only with Q-Logic EX) \$500

1. Single switch not included. See specialty controls order form for a list of available switches.

\$1175

\$2375

\$2,375

\$2,375

\$2,375

\$2,375

E2310

F2311

E2311

☐ Large, 4.25" x 9.25"

**1**4.5" -18"

□5" x 6"

**□**6" x 11"<sup>3</sup>

Possible caster wheel interference when adjusted to less than 70 degrees.

Heavy Duty Drop-In Legrests<sup>1</sup>

Causes interference on seat widths less than 18" Causes interference on seat widths less than 20"

Angle Adjustable Footplates<sup>2</sup>

Angle Adjustable Extension Length:

Angle Adjustable Footplate Size.

Includes Heel Loops

**□**12"-14.5"

□4" x 6"

□6" x 8"3

☐ Through Q-Logic EX Controller

□ Through NE+ 6-Key Controller

☐ Through Q-Logic EX Controller

☐ Q-Logic EX Through 4-Way Toggle

☐ Left Mount ☐ Right Mount

☐ Left Mount ☐ Right Mount ☐ Q-Logic EX Through Quad Push-button

☐ Left Mount ☐ Right Mount

☐ Q-Logic EX Through 4-Way Button Toggle

**Multiple Actuator Electronics:** 

**Dual Actuator Electronics:** 

K0040

\$460

\$420

\$150

□5" x 8"

■8" x 11"<sup>4</sup>

Quantum® 600

## **Group 3 Single Power & Multiple Power**

**ODJFS Only** 

Ontions with	a a siraular abaskbay (O) ar	NOT available through Quantum West		
	Ta Circular Checkbox (9) and	POWERED LEGRESTS		
Price	HCPCS Code	Description	Price	HCPCS Code
\$325 \$150 □5" x 8"	E0990 K0040	4" Articulation Range  Quad Release Lever  Calf Pads <sup>1</sup> :  G" x 5.35"		E1010
<b>□</b> 8" x 11" <sup>4</sup>		· · · · · · · · · · · · · · · · · · ·	\$2,395	E1010
□6 Hole ests¹ \$162		Calf Pads¹:  □6" x 5.35"  Angle Adjustable Extension Length²: □12"-14.5"  □14.5"-18"  Angle Adjustable Footplate Size: □4" x 6" □5" x 6" □5" x 8"		
	**Price \$325  \$150  \$150  \$150  \$150  \$150  \$150  \$150  \$150  \$150  \$150  \$150  \$150	(CONT'D)         Price       HCPCS Code         \$325       E0990         \$150       K0040         □5" x 8"       □8" x 11"4         □6 Hole       Hole	\$325 E0990	Price   HCPCS Code   Description   Price

ADJUSTABLE CENTER MOUNT	FOOT PLATFORM
-------------------------	---------------

ADJUSTABLE CENTER MOUNT FOO		CENTER MOUNT ARTICULATING FO		
Description	Price	Description	Price	HCPCS Code
□ Adjustable Center Mount Foot Platform  Includes 10"W x 11"D Split Foot Platform  Extensions: 1 □ 10"-16" Ext. □ 13"-19" Ext.  Calf Supports <sup>2</sup> :	\$250	☐ Center Mount Articulating Foot Platform  Includes 10"W x 11"D Split Foot Platform  Extensions <sup>1</sup> : ☐ 10"-16" Ext. ☐ 13"-19" Ext.  Calf Supports <sup>2</sup> :	\$2895	K0108
☐ Calf Pads (pair) ☐ Small (6"H x 6"W) ☐ Large (8"H x 8"W, Tapered to 6"W)	\$150	□ Calf Pads (pair) □ Small (6"H x 6"W)		
Optional Modular Footplate Extension Components/Kits <sup>2,3</sup> 4" Width Extension Kit	\$50	□ Large (8"H x 8"W, Tapered to 6"W)  Optional Modular Footplate Extension Components/Kits <sup>2,3</sup> □ 4" Width Extension Kit	\$50	
☐ 2" Bell Shaped, Length Extension Kit	\$50	☐ 2" Bell Shaped, Length Extension Kit	\$50	
☐ 4" Width Extension with 2" Bell Shaped, Length Extension Kit	\$75	☐ 4" Width Extension with 2" Bell Shaped, Length Extension Kit	\$75	
☐ 6-Piece Extension Stock Kit (Includes all above pieces)	\$95	☐ 6-Piece Extension Stock Kit  (Includes all above pieces)	\$95	
Additional Optional Accessories <sup>2</sup> :	0.40			
☐ Footplate Connector	\$49	Additional Optional Accessories²: ☐ Footplate Connector	\$49	

Extensions are measured from the seatpan to footplate. Includes heel loops. Causes interference on seat widths less than 18". Causes interference on seat widths less than 20".

Choose in Rigging Accessory Section in iQuantum. Extensions are measured from top of seat pan to footplate. Only available with seat width 18" or greater. Only available with seat width 20" or greater. 1. 2. 3. 4.

Extension length is measured from top of the seat pan to footplate.
 Choose in Rigging Accessory Section in iQuantum.
 Assembly required. May require seating configuration adjustments to avoid front caster interference.

Extension length is measured from top of the seat pan to footplate.
 Choose in Rigging Accessory Section in iQuantum.
 Assembly required. May require seating configuration adjustments to avoid front caster interference.

FRONT RIGGING ACCESSORIES			MISCELLANEOUS POSITIONING CO	OMPONEN	NTS
Description	Price	HCPCS Code	Description	Price	HCPCS Code
☐ Wheel Bumpers ☐ Heel Loops (pair)¹	\$25 \$38	E0951	☐ Therafin Flip-down Knee Abductor Bracket*	\$172	E1028
☐ Gel Neoprene Footrest Sleeve (pair) <sup>2</sup>	\$65	K0108	<i>Pad:</i> □ Small □ Medium □ Large	\$135	E0957
☐ ELR/ALR Adductor Buttons (pair)	\$125	K0108	☐ Stealth Foot Boxes (pair)*	\$475	K0108
☐ POSAlinc Knee Adductor for Swing-	\$256	K0108	○ Small ○ Medium □ Large	<b>4</b>	
Away Legrests (pair)*		1/0/00	☐ Stealth Padded Shoe Holders (pair)*	\$166	K0108
☐ POSAlinc Rail Mounted Knee Adductor (pair)*	\$287	K0108	☐ Small ☐ Medium ☐ X-Large		
☐ Residual Limb Support ☐ Left ☐ Right	\$300	E1020	☐ Otto Bock Arm Channels (ea.)*  Side:	\$104	E2209
☐ Bodypoint Ankle Huggers (pair)* ☐ Small ☐ Medium	\$134	K0108	☐ Left ☐ Right		
Standard with angle adjustable footplates.     Available only with swing-away legrests.			☐ Small ☐ Medium ☐ Large ☐ Otto Bock Flat Hand Pad(ea.)*	\$52	
SYNERGY® CUSHIONS			Side: □ Left □ Right		
Description	Price	HCPCS Code	Size: ☐ Medium ☐ Large		
☐ No Cushion Required			Please see positioning components order form for ad	ditional types, siz	es and details.
Please refer to Synergy order forms for detailed p Simplicity Cushion General Use	oricing, sizes	and codes.	ACCESSORIES		
□ 16" x 16" - 20" x 20"	\$98	E2601			
Solution® 1 Cushion Skin Protection:	Ų O O		Description	Price	HCPCS Code
☐ 14" x 14" - 20" x 18"	\$380	E2603	☐ Quantum Backpack¹	\$60	
□ 20" x 20"	\$430	E2603	☐ Oxygen Holder <sup>2</sup>	\$150	E2208
Solution® Cushion Skin Protection & Positioning	<b>#</b> 000	F0007	☐ Recline Accessory Mounting Bracket³	\$50	
☐ 10" x 10" - 20" x 18" ☐ 20" x 20"	\$380 \$430	E2607 E2607	☐ Weather Cover, Medium, Black	\$158	
Spectrum® Gel Cushion Positioning	φ430	L2007	☐ Cup Holder	No Charge	<b>!</b>
□ 12" x 10" - 20" x 19"	\$480	E2605	☐ Left ☐ Right ☐ Tablet Holder	\$315	
□ 20" x 20"	\$530	E2605	O Deluxe Cell Phone/Media Holder	\$140	
Spectrum® Visco Cushion Skin Protection & Positionin	-		O Cell Phone/Media Holder	No Charge	<b>:</b>
□ 10" x 10" - 20" x 18"	\$480	E2607		ū	
20" x 20"  Spectrum® Air Adjustable Skin Protection	\$530	E2607	Backpack may interfere w/ other rear accessories.     Oxygen holder on Tilt with Tru Comfort back requires SOF. N/     1" adaptor tube allows cane mounted accessories to mount to	A on Power Recli	ne.
☐ 14" x 12" - 20" x 20"	\$480	E2622	1" adaptor tube allows cane mounted accessories to mount to	power recline ba	ick or siderail.
Spectrum® Air Contour Adjustable Skin Protection & Po			LAP BELTS		
☐ 14" x 12" - 20" x 20"  TRU-Comfort™ Seat Cushion General Use	\$499	E2624	Description	Price	
Includes Allure leather-like cover					
□ 16" x 16" - 20" x 20"	\$380	E2601	☐ 38" Lap Belt ☐ 50" Lap Belt	Standard Standard	
TRU-Comfort™ Plus Seat Cushion Skin Protection Includes 4-way stretch material cover			□ 60" Lap Belt	Standard	
☐ 16" x 16" - 20" x 20"	\$380	E2603	☐ 70" Lap Belt	Standard	
	,,,,,		☐ 80" Lap Belt	Standard	
LATERALS			☐ 90" Lap Belt	Standard	
Description	Price	<b>HCPCS Code</b>	Pelvic Positioning Belt, 2-Point Padded,	\$87	
☐ Stealth Thoracic Laterals (pair)¹*			Medium, 9"-15" Hip Width*  ☐ Pelvic Positioning Belt, 2-Point Padded,	\$92	
Bracket: ☐ 125° Swing-Away Bracket	\$450	E1028	Large, 13"-19" Hip Width*	£110	
For Use on TRU-Comfort Backs w	// Recline		☐ Pelvic Positioning Belt, 4-Point Padded, Medium, 9"-15" Hip Width*	\$112	
Swing-Away Rail Mounted For Use on Synergy Back and Tru-Comfort (S	\$450 ynergy and T	E1028 ilt Only)	☐ Pelvic Positioning Belt, 4-Point Padded,	\$116	
Pad:	0000	F0050	Large, 13-19" Hip Width <b>*</b>		
☐ Flat Pad, 3"x5", Leather-Like Cover☐ Flat Pad, 4"x6", Leather-Like Cover	\$200 \$200	E0956 E0956			
☐ Curved Pad, 2"x3", 4-Way Stretch Cover	\$200	E0956			
☐ Curved Pad, 3"x5", 4-Way Stretch Cover	\$200	E0956	BATTERY OPTIONS		
☐ Curved Pad, 4"x6", 4-Way Stretch Cover		E0956	Description	Price	HCPCS Code
☐ Stealth Pelvic/Thigh Laterals*			□NF-22, 50-Amp Batteries		
Side: ☐ Left Side ☐ Rigi	ht Side		☐Maintainance Free AGM ☐Maintainance Free Gel Cell (Universal)	\$255 ea. \$295 ea.	E2361 E2361
Bracket:	Oluc		☐ Maintainance Free Gel Cell (MK)	\$295 ea. \$295 ea.	E2361
Removable Bracket (ea.)	\$250	E1028	Installation:	at Install	
Removable Bracket w/ 1" Offset (ea.)	\$325	E1028	□Batteries Installed □Do No	n install	
☐ Flip Down Bracket (ea.)  Pad:	\$225	E1028			
☐ Short Pad, 4"x4" (ea.)	\$50	E0956			
☐ Medium Pad, 4"x8" (ea.)	\$50	E0956			
☐ Long Pad, 4"x12" (ea.)	\$50	E0956			
□2" Depth/Height Adapter Plate (ea.)²	\$25	K0108			
Swing-away Laterals Interfere with flip-up armrests.     Height adaper plate is needed w/ Tru Comfort seat cushion. No	ot available on	the flip down bracket.			

Description

Options with a circular checkbox (O) are NOT available through Quantum West.

### **COMPACT VENT TRAY**

### Price

### Price

Compact Vent Tray \$1,395
 The addition of a compact vent tray may increase the length & weight of your power chair.
 Mounting Bracket:

### Bracket is pre-selected with TRU-Comfort Back

O Flush

O 3" Offset1

- O 6" Offset
- Accomodates Pulmonetics LTV-style ventilators.
- Max Vent Dim. 3.25" H x 10.5" W x 13.5" / 20 lbs.
- Not Available with Shape Back or Sling Back.
- Not available with rear mount accessories.
- Not available on Synergy manual recline, Synergy manual tilt or with flip-down back canes.




1. Not available with Cane Mounted Flip-up Arms.

### **ARTICULATING VENT TRAY**

Description	Price	HCPCS Code		
		<b>-</b> 4000		
OArticulating Vent Tray <sup>1</sup> - 14.5"W x 10.5-15.5"D	\$1,450	E1030		
OArticulating Bi-PAP Vent Tray <sup>1</sup> - 9.5"W x 9.5-13.5"D	\$1,450	E1030		
The addition of an articulating yent or Ri-DAD tray may				

increase the length & weight of your power chair.



### **Battery Tray Selection:**

OBattery Tray	\$450	K0108
Olnclude U1 Battery Box	\$50	K0108
Olnclude U1 Battery	\$133	E2365

Not available with TRU Balance Lift, Manual Recline or with rear mounted accessories.

### TRANSIT KIT INFO

### ORON

### THIS SECTION MUST BE READ

The Transit Securement Package, when used in conjunction with a wheelchair in the specific configuration of a 18"x20" seat size, with 25" high back canes, Full-length height-adjustable single post armrests, Synergy back 25"h, and style 8 swing away legrests and extruded footplates and heelloops, conforms with the standard of ANSI/RESNA WC/Vol. 4, Section 19, for the purpose of enabling wheelchairs to be secured in certain types of motor vehicles. The Transit Securement Package, including manufacturer-installed front and rear securement brackets and pelvic belt anchoring brackets, has been crash tested in accordance with ANSI/RESNA WC/Vol. 4, Section 19, Frontal Impact Test, with a 168-lbs. (76.2 kg) surrogate occupant corresponding to a user weight range of 115 lbs. (52.16 kg) to 210 lbs. (95.25 kg). While the Transit Securement Package is compatible with additional seat sizes, optional components, and varied configurations, and provides designated securement points, Pride Mobility makes no claims that any other components or configurations have been tested beyond the above described ANSI/RESNA conforming configuration. Please refer to the Transit Securement Package supplement (part number INFMANU3658) for additional information.

### **RULES:**

-All options are available when unoccupied.

Notes when selecting occupied transit kit:

- -It is recommended that usuable back height be 2" lower than shoulder height.
- -Available on Synergy Seat up to 20W x 20D
- -Power AFP, ALRs & ELRs are available on Synergy Seating
- -All legrests must have heel loops
- -Synergy manual seating is N/A
- -TRU-Balance Power Positioning seating, options and accessories are N/A
- -TRU-Comfort seat cushion is N/A
- -Contoured seating is N/A
- -Specialty seating is N/A
- -Vent option is N/A
- -Omit Back option is N/A