Jazzy [®] 1650 Series Group 3 ^{Order Form / Price List} Revised: June 2011



PAGE 1 Pride Mobility Products Corporation®

182 Susquehanna Ave., Exeter, PA 18643 Sales: Phone: (866) 800-2002 • Fax: (866) 707-3422

Account #:	Date:		Order No.	F	Fax No.		Phone No.		
Bill To:			Ship To:				P.O. #:		
Address:			Address:				Discount:		
Phone Contact:			Marked For:				Terms:		
DME providers are responsible	e for determin	ina annronriate	billing codes when submitting fo	r insurance reimbu	irsement A1	Invising is MSDD	Freight:		
					All Al	l pricing is MSRP.	Taken By:		
BASE M	ODEL		EXPANDABLE C	ONTROLS		JOYSTI	CK HANDLE	ΟΡΤΙΟ	ONS
□Jazzy 1650 3EHD-C	K0855	\$13,033	All joysticks must be either a Pe	used in conju G controller	nction w/	PG Controls			Sto
□Jazzy 1650 3EHD-SS	K0854	\$13,033	CONTROLLER OPTIO	NS	Std.	□Mushroon □T-Bar □Chin Cup		E2323 E2323 E2324 ¹⁶	\$71 \$107 \$71
			Harness for Expandat	ole Controller	Std.			E2323 E2323	\$7
COLO Champagne Candy Apple Red Viper Blue	R	NC \$52 \$52	PG Electronics □3-Key PG Remote Plu □Microdrive, 100 amp □ Omni Plus ²⁴ (Requires a second operate the po	dary control to	Std. \$275 \$1721.63 o	□Soft Ball H □Medium E □Goal Post □3" W	Ball Handle	E2323 E2323 E2323	\$50 \$50 \$66
□Onyx Black		\$52		nced display r onjunction controller	nust be	D □16" Pneuma □Flat-Free Ins	. ,	LS	Std. \$213
			Joystick includes elect	ronics & junct	tion boxes.			IGS	
						□Foot Platform	n, 17" W x 12" D		Std
BATTERIES	(Each)					□Foot Platform	n, 17" W x 16" D		NC
Group 24, 70 AH (2 requestion of the second	uired)	\$352ea 8 63	PROGRA	MMER		□No Front Rig	ging		NC
□NF-22, 50AH AGM (4 red	quired) E23	61 \$255ea	□PG Programmer		\$423	□HD Drop-Ins	, 70° ^{2,3}		\$420
■NF-22, 50AH Gel (4 rec ■Battery Spacers ¹⁷ ■2 battery system ■		NC				Angle Exten 12" - 14.5" 14.5" - 18" 17.5" - 21" (Lengths over 1	Ext. Ext.	terferen	NC
			JOYSTIC Fixed, In-line Joystic Left Quick Disconnect, Left Swing-away Joystick 4" ²⁵ Left Multi-axis Joystick Me Left (<i>Fixed, does not s</i> Vertical Adj. Clamp ¹⁹ Provides vertical jo w/o adjusting armr	□Right Joystick Mount Mount ²² E10 □7" □Right bunt K0108 □Right swing-away) K0108 pystick adjustme	t ²¹ NC □Right 128 \$210 t \$100 \$95	Footplates (pa G'x11" Angle- 8"x11" Angle-	ir) Adj. Footplate¹ Adj. Footplate¹ ^κ	K0040 0040	\$150 \$150

Jazzy [®] 1650 Series Group 3 Order Form / Price List

24"

26"

228"

NC

NC

NC

NC

NC

D25"

Q27"

NC

Revised: June 2011

HD CONTOURED SEATING 105° FIXED

□High-Back with H	leadrest
-------------------	----------

□High-Back	with Headr	rest	
w/ Solid S	eat Pan¹⁵		NC
Black Vir	nyl		
Gray Vin	yl		
Beige Vi	nyl		
High-Ba	ack Seating	Dimensions	9
(Standard	I Dimensior	ns 24"W x 20	"D)
Width ⁸ :		Depth:	
□ 20"	NC	□ 18"	NC
2 2"	NC	□ 20"	Std.
2 4"	Std.	2 2"	NC
□ 26"	NC	□ 24"	NC
□ 28"	NC	□ 26"	NC
□ 30"	NC	2 8"	NC
3 2"	NC		

ARMRESTS (pair)

Bariatric removable, he adjustable heavy duty an Choose Armrest Height	mrests	Std.
■8"-12" Height		NC
□10"-14" Height		NC
Armpads		
Flat Armpads		Std.
Desk Length		NC
□Left	□Right	
Full Length		
□Left	□Right	NC
Waterfall Armpads		NC
Desk Length ¹⁸		NC
□Left	□Right	
Full Length		
□Left	□Right	NC

	CUS	HIONS ⁶	
Spectru		(Visco only)	
□20 x 18		E2607	\$480
□20 x 20 -	20 x 24	E2607	\$530
□22 x 16 - 2		E2608	\$530
⊒26 x 18 -	32 x 28	E2608	\$580
HEAV	Y-DUTY	SYNERGY SE	
□Synergy	Seating S	System	\$434
		ng System sions 24" W x 20	\$366 "D
(Standa	ra Dimens	SIONS 24" W X 20	(ם יינ
HD Synera	v Seat is	required for use	with the
	650 and is	s in addition to t	
	of the S	ynergy Seat.	
	Seat Width	n Package	
		n Package □24"W-2	26"W
⊆20"W-24 □26"W-28	"W	n Package □24"₩-2 □28"₩-3	
□20"W-24	"W 8"W	□24"W-2	
□20"W-24 □26"W-28 □30"W-32	"W 8"W	□24"W-2 □28"W-3	
□20"W-24 □26"W-28 □30"W-32	"W 3"W 2"W	□24"W-2 □28"W-3	
□20"W-24 □26"W-28 □30"W-32	"W 3"W 2"W Set Seat V	□24"W-2 □28"W-3 Vidth At:	30"W
□20"W-24 □26"W-28 □30"W-32 □20" □22" □22" □24"	"W "W Set Seat V NC NC Std.	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25"	30"W NC NC NC
□20"W-24 □26"W-28 □30"W-32 \$ □20" □22" □22" □24" □26"	"W "W Set Seat V NC NC Std. NC	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27"	30"W NC NC NC NC NC
□20"W-24 □26"W-28 □30"W-32 □20" □22" □22" □24" □26" □28"	"W Bet Seat V NC NC Std. NC NC NC	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27" □29"	NC NC NC NC NC NC NC
20"W-24 26"W-28 30"W-32 22" 222" 24" 26" 28" 30"	"W Bet Seat V NC NC Std. NC NC NC NC NC	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27"	30"W NC NC NC NC NC
□20"W-24 □26"W-28 □30"W-32 □20" □22" □22" □24" □26" □28"	"W Bet Seat V NC NC Std. NC NC NC	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27" □29"	NC NC NC NC NC NC NC
20"W-24 26"W-28 30"W-32 22" 222" 24" 26" 28" 30"	"W Bet Seat V NC NC Std. NC NC NC NC NC	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27" □29"	NC NC NC NC NC NC NC
20"W-24 26"W-28 30"W-32 22" 222" 24" 26" 28" 30"	"W Bet Seat V NC NC Std. NC NC NC NC NC	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27" □29"	NC NC NC NC NC NC NC
20"W-24 26"W-28 30"W-32 22" 222" 24" 26" 28" 30"	"W Bet Seat V NC NC Std. NC NC NC NC NC	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27" □29"	NC NC NC NC NC NC NC
20"W-24 26"W-28 30"W-32 22" 222" 24" 26" 28" 30"	"W Set Seat V NC NC Std. NC NC NC NC	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27" □29" □31"	NC NC NC NC NC NC NC
20"W-24 26"W-28 30"W-32 22" 222" 24" 26" 28" 30"	"W Set Seat V NC NC Std. NC NC NC NC NC	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27" □29" □31"	NC NC NC NC NC NC NC
□20"W-24 □26"W-28 □30"W-32 □20" □22" □24" □26" □28" □30" □32"	"W Set Seat V NC NC Std. NC NC NC NC NC NC Stat	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27" □29" □31" DEPTH th Package	NC NC NC NC NC NC
□20"W-24 □26"W-28 □30"W-32 □20" □22" □24" □26" □28" □30" □32"	"W Set Seat V NC NC NC NC NC NC NC NC NC NC	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27" □29" □31"	NC NC NC NC NC NC
□20"W-24 □26"W-28 □30"W-32 □20" □22" □24" □26" □28" □30" □32"	"W Set Seat V NC NC NC NC NC NC NC NC NC NC	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27" □29" □31" DEPTH th Package	NC NC NC NC NC NC
□20"W-24 □26"W-28 □30"W-32 □20" □22" □24" □26" □28" □30" □32"	"W Set Seat V NC NC NC NC NC NC NC NC NC NC	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27" □29" □31" DEPTH th Package □20"D-2	NC NC NC NC NC NC
□20"W-24 □26"W-28 □30"W-32 □20" □22" □24" □26" □28" □30" □32" □32"	"W Set Seat V NC NC Std. NC NC NC NC NC NC NC NC NC Seat Dep	□24"₩-2 □28"₩-3 Vidth At: □21" □23" □25" □27" □29" □31" DEPTH th Package □20"D-2 at Depth At:	30"W NC NC NC NC NC

Bariatric re	movable. I	heiaht	Std.			
adjustable h						
Choose Arm						
□8"-12" Heig	-		NC			
□10"-14" He	ight		NC			
Armpads	0					
□Flat Armp	ads		Std.			
Desk Le			NC			
		□Right				
	ath	_ tight				
	901	□Right	NC			
	Armnade	artigrit	NC			
			NC			
	ingin		NC			
Left	a the	□Right				
□Full Len	gtn		NO			
□Left		□Right	NC			
Please	consult you the Custor	Ir Quantum Specia n Group before or	alist or dering			
		CANES ²⁰	ş			
Back Car			Std.			
		oush handles	\$125			
□Offset(Me						
	,	()				
	□2" (1" per side) □4" (2" per side)					
N/A with TRU-Comfort, Dual Post, Flip-back armrests may interfere with offset armrests .						
armrests	s may interf					
armrests	s may interf	ere with offset arn				
armrests N	s may interf I/A w/ any r	ere with offset arn eclining systems.	nrests .			
armrests N Actual Back C	s may interf I/A w/ any r Cane Height	ere with offset arn	nrests .			
armrests N Actual Back C	s may interf I/A w/ any r Cane Height Ck Cane H	eclining systems.	nrests .			
armrests N Actual Back C Bac	s may interf I/A w/ any r Cane Height ck Cane H 16"H	ere with offset arn eclining systems. t is reflected in me leight Package	nrests .			
Actual Back C Bac 14"H- ²	s may interf I/A w/ any r Cane Height ck Cane H 16"H 24"H	ere with offset arm eclining systems. t is reflected in me leight Package □18"H-20"H	nrests .			
Actual Back C Ba 14"H-7 222"H-2	s may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can	iere with offset arm eclining systems. t is reflected in me leight Package 18"H-20"H ne Height	asuremen			
Actual Back C Bar 14"H-2 222"H-2	s may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC	iere with offset arm eclining systems. It is reflected in me leight Package 18"H-20"H ne Height 16"	asuremen			
Actual Back C Bar 14"H 222"H-2 14" 14" 18"	s may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std.	iere with offset arm eclining systems. t is reflected in me leight Package 18"H-20"H ne Height 16" 16" 20"	asuremen NC NC			
Actual Back C Bar 14"H-2 222"H-2	s may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std. NC	t is reflected in me leight Package 18"H-20"H ne Height 16" 20" 24"	asuremen			
Actual Back C Bar 14"H 222"H-2 14" 14"	s may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std. NC	iere with offset arm eclining systems. t is reflected in me leight Package 18"H-20"H ne Height 16" 16" 20"	asuremen NC NC			
Actual Back C Bar 14"H 222"H-2 14" 14"	s may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std. NC BACK (t is reflected in me leight Package 18"H-20"H ne Height 16" 20" 24"	asuremen NC NC			
Actual Back C Bac 14"H 222"H-2 14" 14" 18" 22"	s may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std. NC BACK (t is reflected in me leight Package 18"H-20"H ne Height 16" 20" 24"	NC NC NC NC			
Actual Back C Bac 14"H 222"H-2 14" 14" 18" 22" Synergy For widt	s may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std. NC BACK (Back hs of 20"	t is reflected in me leight Package 18"H-20"H ne Height 16" 20" 24"	NC NC NC NC S275			
Actual Back C Bac 14"H 222"H-2 14" 14" 18" 22" Synergy For widt Synergy	s may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std. NC BACK (Back hs of 20" Back	t is reflected in me leight Package 18"H-20"H ne Height 16" 20" 24"	NC NC NC NC			
Actual Back C Bac 14"H 222"H-2 14" 14" 18" 22" Synergy For widtl Synergy For widtl	a may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std. NC Back hs of 20" Back hs of 20" Back hs 21"-24"	t is reflected in me leight Package 18"H-20"H ne Height 16" 20" 24"	NC NC NC NC S275			
Actual Back C Bac 14"H 222"H-2 14" 14" 18" 22" Synergy For widtl Synergy For widtl Back Heigl	a may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std. NC Back hs of 20" Back hs of 20" Back hs 21"-24"	iere with offset arm eclining systems. t is reflected in me leight Package 18"H-20"H 16" 20" 224" OPTIONS	NC NC NC NC S275			
Actual Back C Bau 114"H- 22"H-2 14" 18" 22" Synergy For widtl Synergy For widtl Back Heigl 18"	s may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std. NC BACK (Back hs of 20" Back hs of 20" Back hs 21"-24" nt:7	iere with offset arm eclining systems. t is reflected in me leight Package 18"H-20"H 16" 20" 24" OPTIONS	NC NC NC NC S275			
Actual Back C Bau 114"H 122"H-2 14" 18" 222" Synergy For widtl Back Heigl 18" 20"	s may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std. NC Back hs of 20" Back hs of 20" Back hs 21"-24" H 'H	iere with offset arm eclining systems. t is reflected in me leight Package 18"H-20"H 16" 20" 24" OPTIONS 19"H 21"H	NC NC NC NC S275			
Actual Back C Bau 114"H 122"H-2 14" 18" 22" Synergy For widtl Back Heigl 18" 220"	s may interf I/A w/ any r Cane Height ck Cane H 16"H 24"H Back Can NC Std. NC Back hs of 20" Back hs of 20" Back hs 21"-24" H 'H	iere with offset arm eclining systems. t is reflected in me leight Package 18"H-20"H 16" 20" 224" OPTIONS 19"H 21"H 223"H	NC NC NC NC S275			
Actual Back C Bau 114"H 122"H-2 14" 18" 222" Synergy For widtl Back Heigl 18" 20"	s may interf I/A w/ any r Cane Height ck Cane H 16"H 24"H Back Can NC Std. NC Back hs of 20" Back hs of 20" Back hs 21"-24" H 'H	iere with offset arm eclining systems. t is reflected in me leight Package 18"H-20"H 16" 20" 24" OPTIONS 19"H 21"H	NC NC NC NC S275			
Actual Back C Bac 14"H 222"H-2 14" 14" 18" 22" Synergy For widtl Synergy For widtl Back Heigl 18" 20" 22"	a may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std. NC Back hs of 20" Back hs of 20" Back hs 21"-24" H 'H 'H	iere with offset arm eclining systems. t is reflected in me leight Package 18"H-20"H 16" 20" 224" OPTIONS 19"H 21"H 223"H	NC NC NC NC \$275 \$325			
Actual Back C Bau 114"H 122"H-2 14" 18" 222" Synergy For widtl Back Heigl 18" 220"	a may interf I/A w/ any r Cane Height Ck Cane H 16"H 24"H Back Can NC Std. NC Back hs of 20" Back hs of 20" Back hs 21"-24" H 'H 'H	iere with offset arm eclining systems. t is reflected in me leight Package 18"H-20"H 16" 20" 224" OPTIONS 19"H 21"H 223"H	NC NC NC NC S275			

PAGE 2

ARMRESTS (pair)

Back height will be the same as back cane height. Includes gap for cushion.

HEAD REST ¹⁴						
□Stealth E0955						
□Large (11"W x 6" H) □Small (9 3/4" W x 3" H) \$205						
□Stealth Comfort Plus E0955						
□Small (10"W) □Large (14" W)	\$205					
Removable Head Rest Bracket E1028	\$210					
□Stealth, swing-away (Flip-Down)						
Head Rest Bracket E1028	\$210					
Interfaces w/ any headrest that uses 1/2" square of	lown-tube.					
□Medical Applications E0955						
□Large (11"W x 6" H) □Small (9 3/4" W x 3" H) \$230					
Removable Head Rest Bracket E1028	\$235					
Fixed, Offset Mounting Bracket	NC					
Removable Bracket for E1028	\$210					
after market headrest						

Jazzy [®] 1650 Serie Group 3 Order Form / Price List Revised: May 2011	es			
□Rear Basket ⁴ \$103 □Cane/Crutch Holder ⁴ E2207 \$98				
□Oxygen Holder E2208 (HD seating only) \$150 □Walker Holder ⁴ K0108 \$92 □Flag Holder (SOFon Power Positoning) \$17 □Lap Belt Std.				

Special Instructions

Footnotes:

- Standard with heel loops.
- 1. 2. Standard w/ heel loops and angleadjustable footplates, check size below.
- 3. May cause interference w/ front antitips w/ certain seat widths and lower leg lengths. Call Quantum Customer Service.
- 4. Includes mounting bracket and hardware
- 5. Measured from seat pan to top of back with a gap for the cushion.
- 6. Call for details.
- 7. Measured from seat pan to top of back with a gap for the cushion.
- Seat widths over 26" wide will be wider 8. than the base of the unit.
- Widths 26" and above have a lumbar 9 cutout.
- 10. Lengths are now measured according to industry standard from the seat pan to the back of the footplate. It wil increase when contoured seating or rehab seating w/ cushions are selected. The overall length may vary approximately 3" depending on choice of seat and /or cushion.
- 11. Lowest seat-to-floor height is 18.375" on the HD Synergy seat.
- Requires multi-axis joystick mount; No 12. charge for mount.
- 13. Available with five individually programmable drive profiles.
- 14. Not available with sling back.
- 15. Includes black vinyl seat pan, back available in all listed colors.
- 16. HCPCS code E2323 when not used in conjunction with chin control.
- 17. Spacers must be selected, even if not ordering batteries.
- 18. S/A joystick mount is N/A.
- 19. N/A on contoured seating or waterfall armpads.
- 20. Height is measured from seat pan to top of cane.
- 21. N/A w/ waterfall armpads; only available on Quantum Seating Systems and only one option maybe mounted.
- 22. Can only mount one armest accessory in combination w/ S/A joystick.
- 23. If ordered w/ reference guides or configuration packages discounts may apply.
- 24. Please consult specialty controls order form for a variety of secondary controls and mounting options.
- 25. N/A with waterfall armpads and dual post armrests.

Quantum Custom Delivery Service

Includes: liftgate service and delivery of your product(s) inside your facility Contact your Quantum Representative for details.

The information contained herein is correct at the time of publication; we reserve the right to alter specifications and pricing without prior notice.